



Borough of Rocky Hill
Borough Council
Minutes of the Regular Meeting
June 20, 2016

The regular meeting of the Borough Council of the Borough of Rocky Hill was called to order by Mayor Jeff Donahue at 7:30 PM followed by the salute to the flag.

NOTICE OF COMPLIANCE WITH OPEN PUBLIC MEETINGS ACT

ROLL CALL

Attendee Name	Title	Status	Arrived
Robert Ashbaugh	Councilman	Present	
Thomas Bremner	Council President	Absent	
Billy Dawson	Councilman	Present	
John Hagemann	Councilman	Present	
Phil Kartsonis	Councilman	Present	
Robert Uhrik	Councilman	Present	
Jeff Donahue	Mayor	Present	

MAYOR'S COMMENTS

Mayor Donahue thanked the recreation committee and the residents for participating and organizing the kick ball game. Roughly 40-50 people attended and it was a great success. Mayor Donahue updated the Council on the Route 518 Bridge closure issues. He expressed his frustration with the communication from the DOT. Mayor Donahue stated the bridge will be closed entirely on July 6, 2016 and that the construction will be a 24/7 operation with it reopening on August 6th.

APPROVAL OF MINUTES

- A. Approval of Regular Meeting Minutes May 16, 2016

RESULT:	ADOPTED [UNANIMOUS]
SECONDER:	Billy Dawson, Phil Kartsonis
AYES:	Ashbaugh, Bremner, Dawson, Hagemann, Kartsonis, Uhrik

REQUEST OF COUNCIL FOR NEW OR UNFINISHED BUSINESS (NOT ON AGENDA)

PUBLIC COMMENT

No public comments were made.

STATE POLICE REPORT

- A. State Police Report

ENGINEER'S REPORT

Bill Tanner summarized the engineers report for the public and the council.

- A. Engineers Report June 2016

CHIEF FINANCIAL OFFICER'S REPORT

CFO Monzo stated that the audit is complete and the auditor will present the findings at the next meeting.

DEPARTMENTAL REPORTS

- A. Tax Collectors Report May 2016

Mayor Donahue summarized the tax collectors report

- B. Municipal Court Report May 2016

Mayor Donahue summarized the Court report for May.

APPROVAL OF VOUCHERS

- A. Bill List Dated 6/20/16

RESULT:	ADOPTED [UNANIMOUS]
MOVER:	Robert Ashbaugh, Councilman
SECONDER:	Billy Dawson, Councilman
AYES:	Ashbaugh, Bremner, Dawson, Hagemann, Kartsonis, Uhrik

- B. Motion to approve voucher # 8885

RESULT:	ADOPTED [5 TO 0]
MOVER:	Billy Dawson, Councilman
SECONDER:	Robert Uhrik, Councilman
AYES:	Bremner, Dawson, Hagemann, Kartsonis, Uhrik
ABSTAIN:	Ashbaugh

- C. Motion to approve voucher #8891

RESULT:	ADOPTED [5 TO 0]
MOVER:	Billy Dawson, Councilman
SECONDER:	Robert Uhrik, Councilman
AYES:	Bremner, Dawson, Hagemann, Kartsonis, Uhrik
ABSTAIN:	Ashbaugh

COMMITTEE REPORTS

Administration & Records -R. Ashbaugh

Councilman Bremner stated that the hard drive at the Borough Hall crashed and it was covered under the service contract and stated he was working with Donna Griffiths the tax collector to set up a system to be able to pay the bills on line.

Buildings & Grounds - T. Bremner

Mr. Bremner stated he has been working on killing the poison ivy before the tennis camp. A discussion ensued about the mowing of the high grass on the green acres. Residents have expressed concerns about mowing the grass in the spring as there are birds nesting. The council decided to cut the grass for the upcoming event and research this further for the following year. The elevator needs to be repaired as it has been experiencing issues. The elevator repair company estimates that it will cost roughly \$2,700.00 to repair.

A. Motion to approve elevator repairs for an amount not to exceed \$3,000.00

RESULT:	ADOPTED [UNANIMOUS]
MOVER:	Robert Uhrik, Councilman
SECONDER:	Billy Dawson, Councilman
AYES:	Ashbaugh, Bremner, Dawson, Hagemann, Kartsonis, Uhrik

Finance & Insurance - P. Kartsonis

Nothing at this time.

Public Safety & Emergency Services - B. Dawson

Nothing at this time

Streets & Roads - B. Uhrik

Nothing at this time

Water, Sewer & Environmental Protection - J. Hagemann

Engineer Tanner stated that there is a sink hole on Lemore and he solicited quotes to have the repairs made. A motion was made to award a contract to Schilke Construction for an amount not to exceed \$3,500.00 to explore and determine the cause of the sink hole.

The well statistics were read to the Council and summarized. All levels were within the acceptable range.

RESULT:	ADOPTED [UNANIMOUS]
MOVER:	Billy Dawson, Councilman
SECONDER:	Robert Ashbaugh, Councilman
AYES:	Ashbaugh, Bremner, Dawson, Hagemann, Kartsonis, Uhrik

B. Water Quality Report

Council Representative to Planning Board - R. Ashbaugh

Ashbaugh stated that some members of the planning board met with the Mayor and discussed ways to make this process easier and more user friendly for home owners.

Council Liaison to Recreation Committee- P. Kartsonis

The Recreation committee is working on developing a stronger relationship with the Community Group so they can work together on more things to benefit the residents.

Council Representative to Board of Health - B. Uhrik

Nothing at this time

Zoning Official's Report - M. Blasch

No report at this time

Grants Committee - T. Bremner

SPECIAL BUSINESS

A. Presentation: Board of Health Update

Stephanie Carey, Montgomery Township Health Officer, informed the Council about some of the issues they are facing by not having the animal control contract. Ms. Carey stated that it is confusing for the residents and by the time they call the correct facility issues can arise. For example, recently a resident had to be vaccinated for rabies because too much time had elapsed between the calls to different organizations and also the bat was destroyed instead of tested. Ms. Carey urged the Council to make the services all be under one umbrella for a seamless transition and for protection of the public. Ms. Carey explained the issues with a dog at large and the State Police being unsure of who to contact. Attorney Cruz inquired if Montgomery Township handled the quarantine, filing a report and attending court when there is a vicious dog complaint. Ms. Carey responded yes.

B. Discussion: Safety Presentation

Councilman Dawson gave the Council an overview on the purchase of the swift water boat. Mr. Dawson stated that the fire department upgrade the boat and was looking for a reimbursement of \$3,986.00 to cover some of the costs.

CFO Monzo inquired as to who insured it, who is it titled too and expressed concerns regarding following the local public contracts law when it was purchased.

Mayor Donahue responded that they looked into having the current boat repaired however, it was not cost effective.

Councilman Ashbaugh inquired about the 9.9 motor that was on the boat and felt it was the same one from the other boat. Mr. Ashbaugh expressed his concerns that the Council voted to hold funds for this purchase potentially and now the boat was purchased and they are seeking reimbursement.

C. Motion to reimburse the Rocky Hill Fire Department in the amount of \$3,986.00 for the purchase of the swift water boat.

RESULT: ADOPTED [4 TO 1]
AYES: Dawson, Hagemann, Kartsonis, Uhrik
NAYS: Ashbaugh
ABSENT: Bremner

UNFINISHED BUSINESS

- A. RESOLUTION-2016-63 Providing for the Insertion of a Special Item of Revenue in the 2016 Budget Pursuant to N.J.S.A. 40A:4-87 (Chapter 159, P. L. 1948)

This resolution was withdrawn because it was previously adopted.

- B. RESOLUTION-2016-64 Providing for the Insertion of a Special Item of Revenue in the 2016 Budget Pursuant to N.J.S.A. 40A:4-87 (Chapter 159, P. L. 1948)

RESULT: ADOPTED [UNANIMOUS]
AYES: Ashbaugh, Dawson, Hagemann, Kartsonis, Uhrik
ABSENT: Bremner

- C. RESOLUTION-2016-65 Authorizing the Award of Contract to Bayside Mobil Blasting in the Amount of \$5,606.80 for the Repair of the Fire Escape

RESULT: ADOPTED [UNANIMOUS]
AYES: Ashbaugh, Dawson, Hagemann, Kartsonis, Uhrik
ABSENT: Bremner

- D. ORDINANCE-2016-03 An Ordinance Authorizing the Business Lease Renewal of Certain Municipal Lands and Buildings, Being the South Room on the First Floor of Borough Hall, 15 Montgomery Avenue, in the Borough of Rocky Hill, to the Rocky Hill Cooperative Nursery School, for a Three (3) Year Period from July 1, 2016 to June 30, 2019.

RESULT: TABLED [UNANIMOUS] **Next: 8/15/2016 7:30 PM**
AYES: Ashbaugh, Dawson, Hagemann, Kartsonis, Uhrik
ABSENT: Bremner

NEW BUSINESS

- A. RESOLUTION-2016-66 Authorizing the Renewal of a Liquor License # 1817-33-001-004 for Cajo Enterprises LLC, T/A One 53 for the 2016-2017 Year

RESULT: ADOPTED [UNANIMOUS]
AYES: Ashbaugh, Dawson, Hagemann, Kartsonis, Uhrik
ABSENT: Bremner

- B. RESOLUTION-2016-67 Authorizing the Renewal of a Liquor License # 1817-33-002-006 for Copper Bottom LLC, T/A Rocky Hill Inn for the 2016-2017 Year

RESULT:	ADOPTED [UNANIMOUS]
AYES:	Ashbaugh, Dawson, Hagemann, Kartsonis, Uhrik
ABSENT:	Bremner

- C. RESOLUTION-2016-70 Authorizing the Mayor and Clerk to Sign an Agreement with Lewis-Graham for the Phase II Rehabilitation of the Rocky Hill Municipal Building

RESULT:	ADOPTED [UNANIMOUS]
AYES:	Ashbaugh, Dawson, Hagemann, Kartsonis, Uhrik
ABSENT:	Bremner

COMMUNICATIONS

PUBLIC COMMENT

Public Comment was closed as no comments were made.

EXECUTIVE SESSION

1. RESOLUTION-2016-68 To Retire into Executive Session for the Purpose of Litigation in the Matter of the Borough of Rocky Hill for a Judgement of Compliance of Its Third Round Housing Element and Fair Share Plan, Docket No. SOM-L-901-15 and Contract Negotiations and Potential Litigation: Think Pavers Hardscapping, LLC

Council entered executive session at 9:17 PM

RESULT:	ADOPTED [UNANIMOUS]
AYES:	Ashbaugh, Dawson, Hagemann, Kartsonis, Uhrik
ABSENT:	Bremner

RESULTS OF EXECUTIVE SESSION (IF ANY)

1. RESOLUTION-2016-69 Authorizing the Mayor, Borough Engineer and Clerk to Sign a Change Order for Think Pavers, LLC for the Washington Street Improvements Project

RESULT:	ADOPTED [UNANIMOUS]
AYES:	Ashbaugh, Dawson, Hagemann, Kartsonis, Uhrik
ABSENT:	Bremner

ADJOURNMENT

Meeting was adjourned at 10:31 PM

New Jersey State Police - Kingwood Station
Rocky Hill Borough (clerk@rockyhill-nj.gov)
Monthly Activity Report - Month of May 2016
Municipal Code: 1817 FAX (609) 924-2274

Type of Activity: Calls for Service

Medical Assistance 1
 Well-Being Check 1 (Merritt La.)
 Property Damage 1 (Lemore Cir.)

Type of Activity: Investigations and/or Investigations Resulting in Arrests

Theft of Identity 1 (Hickory Ct.)

Type of Activity: Accidents (2)	Killed	Injured	Ejected
Young Drive - 1 accident	0	0	0
Washington Street - 1 accident	0	0	0

Type of Activity: Driving Under the Influence (0)

Nothing To Report

Report submitted by: Assistant Station Commander SFC J. Heitzman 4701 Date: 05/31/2016

Attachment: Rocky Hill MAY 2016 (1) (DOC-2016-44 : State Police Report)



www.vcea.org

Since 1972 • Consulting Civil, Environmental & Municipal Engineering
Land Surveying • Professional Planning • Landscape Architecture

Neil I. Van Cleef, P.E., L.S. & P.P.
Robert J. Clerico, P.E. & P.P.
Robert B. Heibell, P.E., L.S. & P.P.
Daniel A. Nagy, L.S. & P.P.
Samuel D. Costanzo, P.E. & P.P.

TO: Mayor and Council
Borough of Rocky Hill

FROM: William C. Tanner, P.E.
Borough Engineer

DATE: June 16, 2016

SUBJECT: ENGINEER'S REPORT APRIL 2016

1. FY 2016 NJDOT GRANT REQUESTS

As requested, I have asked for the neighboring communities for some input. So far three have responded: Montgomery, Bridgewater and Branchburg. All three communities received grants this past year. All three, as part of their applications proposed putting municipal dollars into the contract. I have also called Franklin and asked Princeton the same question.

2. TREE REMOVAL – NEIGHBORS PROPERTY

Attached is a letter from Tamke Tree Services requesting permission to use the Borough's property to remove a tree and some branches that overhang the playground area. One of the trees is dying and a large portion of the tree is split. The other tree while not in as bad a condition creates a hazard.

Both Mr. Bremner and I have talked to Tamke and I have met on site with their arborist. In our conversation he proposed solutions to how they would limit damage to the Borough property and assured me that any damage they do will be remediated. Essentially the letter is a guarantee (obviously Mr. Cruz will need to render a decision on that) to restore any damage to property that they cause.

The access to the trees is better from the Borough's property and will create less disturbance on the Borough property than if performed on the neighbor's.

There is also a benefit in addition to being a good neighbor. The removal of this tree and limbs would remove a potential a hazard to the Borough property with no cost to the Borough.

Please Reply To:
CENTRAL NJ OFFICE • 32 Brower Lane, Bldg. B, PO Box 5877 • Hillsborough NJ 08844 • 908.359.8291
Fax: 908.359.1580

With Other Offices In:
Hamilton NJ • Lebanon NJ • Phillipsburg NJ • Freehold NJ • Doylestown PA • Bethlehem PA • Wyomissing PA • Newark DE

C:\users\rnewman.flemingtonnj\appdata\local\temp\minutetraq\rockyhillnj@rockyhillnj.iqm2.com\work\attachments\1056.doc

Attachment: Engineer's Report May 2016 (DOC-2016-45 : Engineers Report)

June 15, 2016
May Report

3. PROJECTS

Montgomery Avenue - This month we will file to close the project and obtain the remaining grant funds.

Generator Grant – Attached is a Memorandum from this office summarizing the results of our request for proposal for the work necessary to construct a generator at the well site in accordance with our FEMA grant. This office is recommending the award to Princeton Engineering, a firm with which we have had experience for a total of \$5,500.00.

4. NJDEP WATER RESTRICTION

Nothing to report.

5. SPOT REPAIRS ON SIDEWALKS

I found a small contractor, James Michal who was doing work for the Library. I am awaiting a price from him. I will also ask for a price for the Meter Pit box on Princeton Avenue.

6. CRESCENT AVENUE DRAINAGE

I will be present information on this Monday evening.

7. WASHINGTON STREET SIDEWALK CONTRACT

I forwarded the final agreed upon amounts to the Attorney for discussion.

8. STAGE II TREATMENT PLANT

On hold pending information from Montgomery on the proposed study.

9. SEWER FLOWS

My notes do not reflect whether I was authorized to proceed with a proposal for an analysis for determining the cost benefits of investigating repair costs vs treatment costs.

10. COUNTY PLOWING

We still need to confirm formally the request that the County put Knoll Court officially on their list for plowing.

June 15, 2016
 May Report

11. COUNTY ROAD STRIPING

For follow up once the County awards a contract.

12. ANNUAL TIER B REPORT

In order to be ahead of the report for next year I would like to schedule a “Stormwater Discussion” at the next Council meeting. This will be a short but informative discussion.

13. TRASH COLLECTION CONTRACT

Based on a meeting the Mayor and I attended with Premier our trash contractor, I believe many issues were resolved. The Mayor laid out the Borough’s issues which the Contractor has agreed to address. The Contractor did have some legitimate complaints regarding the type of trash that was being put out at the curb. I have been receiving pictures of trash that was not picked up (sometimes picked up) that violated the contract. It was a productive meeting and hopefully complaints have decreased.

14. CONTRACTS FOR THE COMING YEAR

The only remaining annual contract remaining to be secured is the Leaf Collection contract for which we have been using Branchburg under an Interlocal Agreement. We will be working on this for August but as previously this may be difficult to secure as leaf collection occurs during Hurricane Season.

I was also made aware that there is an outstanding balance on the 2015 contract of \$1,000.00 which should be cleared up.

15. EAGLE SCOUT PROJECT

I have had several meetings with a Boy Scouts who may be taking on a project to construct a boardwalk from the Van Horn Park to Crescent Avenue. I will keep you apprised.

16. RT. 518 BRIDGE REPLACEMENT

The Mayor scheduled a meeting that was attended on Thursday June 16th with the NJDOT to discuss the recent problems experienced by the Borough and some possible solutions. Some of the issues discussed:

1. Better direct communications with the Borough. To date some of the best information has been coming from the Traffic Safety Office in Franklin. They agreed to keep us better informed. One result was that I finally received the pre-construction minutes that I asked for a month or more ago.

June 15, 2016
May Report

2. They agreed to changes to the Detour Route to essentially try to force the trucks onto the Western terminus of Crescent Avenue.
3. The Mayor requested that the signs be changed to read “Bridge Out Ahead” as opposed to “Road Construction Ahead”. You can sometimes negotiate a road construction project but not a bridge out. They reluctantly, it seemed, agreed to investigate this.
4. They seemed to agree to add the same “Bridge Out Ahead” or maybe the weaker “Road Construction Ahead” on Montgomery Avenue at Rt. 206.

Attached is a new detour plan and a proposed sign to assist the John Shed business as it is beyond the full road closure. In conjunction with this we are reaching out to the County to see if we can get them, the County, to make us a specific sign alerting people that the business are open in the center of the Borough.

The NJDOT people also gave us more detail on the schedule going forward for example:

1. Work on the bridge is scheduled to begin on Monday with the half closure.
2. Beginning on July 6th (roughly) the bridge will be completely shut down and they will begin the 24/7 construction schedule in order to complete the project by August 5th.

I think the meeting went well and hopefully it will move quickly and with better communications going forward.




SIGN-1
42" X 30"

Colors:
Text - Black
Background - Orange



SIGN-2
42" X 36"

Colors:
Text - Black
Background - Orange



Attachment: fax_somerset@vcea.org_20160616_170608 (DOC-2016-45 : Engineers Report)

Collector's Cash Book Breakdown for May 2016. The Last Deposit Slip Number Was 28.

Borough of Rocky Hill Tax Office

Thu Jun 2 16:01:33 EDT 2016

Description	Month To Date	Year To Date	Account
Tax Search	0.00	0.00	000163
Twp Lien	0.00	0.00	000163
Dup Bill	0.00	0.00	000163
Tax Lien	0.00	0.00	000163
MUN CHARGES	0.00	0.00	000163
Unallocated	0.00	0.00	000163
Sc Dis	0.00	0.00	000163
Miscellane	0.00	0.00	000163
PREMIUM	0.00	0.00	000163
NSF CHECK	0.00	0.00	000163
2015 Taxes	0.00	34,264.44	
Prior Year Taxes	0.00	34,264.44	000163
Current Year Taxes	380,359.58	1,219,069.15	000163
Prepaid Taxes 2017	0.00	0.00	000163
Interest	109.95	2,078.79	000163
General Account Totals	380,469.53	1,255,412.38	
Totals for All Accounts	380,469.53	1,255,412.38	

DMC
CR
6/2/16

Attachment: DOC062016-001 (DOC-2016-46 : Tax Collectors Report May 2016)

Municipal Court of Rocky Hill Borough

Monthly Statistical & Financial Report for the Month of: May 2016

New Cases Filed: TRAFFIC

Parking 2 Moving 31 DWI 0

Cases Disposed:

Parking 1 Moving 15 DWI 0

New Cases Filed: CRIMINAL

Indictable 0 Disorderly 0 Other 0

Cases Disposed:

Indictable 0 Disorderly 0 Other 0

RECEIPTS: 2517.00

DISBURSEMENTS

922.34
 - 114.00

 808.34
 ÷ 2

 404.17

SBB = 404.17
 RHB = 518.07

N.J. Motor Vehicle Services 1032.16
 ATS Surcharge/State of N.J. 75.00
 Title 39 Split/County Treasurer 345.50
 Rocky Hill Borough 922.34
 Rocky Hill Borough (interest) (3.52)
 Rocky Hill Borough (public defender fee) 0
 Rocky Hill Borough (POAA) 0
 VCCB/State of N.J. 0
 DEDR/State of N.J. 100.00
 State Lab/State of N.J. 0
 Safe Neighbor Fund/State of N.J. 0
 Web Fees/State of N.J. 42.00
 Conditional Discharge Fee/State of N.J. 0
 Division of Fish & Wildlife 0
 State Parks & Forest 0
 Restitution 0
 Other 0

TOTAL 2517.00

Cindy Hooven, C.M.C.A.

Attachment: DOC062016-002 (DOC-2016-47 : Municipal Court Report May 2016)

REPORT ID: TFC6030
RUN DATE : 06/04/2016
RUN TIME : 22:40

NEW JERSEY AUTOMATED TRAFFIC SYSTEM
NUSP - WILBURTHA BARRACKS DISPOSITIONS
ROCKY HILL BORO MUNICIPAL CT
05/01/2016 TO 05/31/2016

PAGE: 1

OFFICER NAME: CONSTABLE

TOWN

ID: 18179997

TICKET NUMBER	VIOLATION DATE	VIOLATION	DATE DISPOSED	FINDING	FINE	COST	MISC	PLATE STATE
1817SC 008997	04/24/2016	RH13-92	05/04/2016	GUILTY	\$29.00	\$21.00	\$.00	NJ

38.50

REPORT ID: TFC6030
RUN DATE : 06/04/2016
RUN TIME : 22:40

NEW JERSEY AUTOMATED TRAFFIC SYSTEM
NEW JERSEY STATE POLICE DISPOSITIONS
ROCKY HILL BORO MUNICIPAL CT
05/01/2016 TO 05/31/2016

PAGE: 1

OFFICER NAME: KICHURA

TPR.

ID: 22007641

TICKET NUMBER	VIOLATION DATE	VIOLATION	DATE DISPOSED	FINDING	FINE	COST	MISC	PLATE STATE
1817SP5595329	03/05/2016	39:4-97	05/07/2016		\$61.00	\$34.00	\$3.00	NY
1817SP5595986	04/28/2016	39:3-74	05/20/2016		\$30.00	\$34.00	\$2.00	NJ
1817SP5595985	04/28/2016	39:4-97	05/12/2016		\$61.00	\$24.00	\$2.00	NJ

28.50

28.50

18.50

114.00

*** END OF REPORT TFC6030 ***

June 20, 2016

List of Bills - (0110101001) CASH
CURRENT FUND

Check#	Vendor	Description	Payment	Check Total
8880	8 - DIV OF ALCOHOLIC BEVERAGE CONTROL	PO 5881 2 Liquor License Renewals	6.00	6.00
8881	12 - ARC OF SOMERSET COUNTY	PO 5869 Janitorial Services April	200.00	200.00
8882	12 - ARC OF SOMERSET COUNTY	PO 5891 Janitorial Services	200.00	200.00
8883	606 - BANISCH ASSOCIATES	PO 5882 Court Appointed Master for Affordal	100.00	100.00
8884	39 - CENTRAL JERSEY SECURITY	PO 5888 Q3 2016 Alarm Monitoring	93.00	93.00
8885	48 - ROCKY HILL COMMUNITY GROUP	PO 5862 Clean Community Grant: Earth Day C	500.00	500.00
8886	60 - COURIER NEWS	PO 5883 Legal Advertising	26.66	26.66
8887	547 - Comcast	PO 5866 Phone and Internet	266.50	266.50
8888	71 - DIFRANCESCO BATEMAN PC	PO 5873 Legal Services	5,659.50	5,659.50
8889	71 - DIFRANCESCO BATEMAN PC	PO 5894 Legal Services May 2016: Affordable	2,350.92	2,350.92
8890	81 - ROCKY HILL FIRE COMPANY NO 1	PO 5868 2016 Budget Allocation Payment 2	6,575.00	6,575.00
8891	82 - ROCKY HILL FIRST AID SQUAD	PO 5867 2016 Rocky Hill First Aid Squad Rei	6,575.00	6,575.00
8892	481 - FLOWER BARN OF HILLSBOROUGH	PO 5880 Memorial Day wreath	95.00	95.00
8893	83 - G & T Landscaping Inc	PO 5859 Lawn mowing	1,835.00	1,835.00
8894	616 - HILLARY DELANEY	PO 5874 Supplies for Shade Tree	108.72	108.72
8895	510 - HMR ARCHITECTS	PO 5890 Phase II Historic Preservation Gran	2,065.00	2,065.00
8896	115 - JML LANDSCAPING INC.	PO 5863 Brush & Limb clean up	2,136.00	2,136.00
8897	584 - LOWE'S	PO 5884 Buildings & Grounds supplies	116.77	116.77
8898	155 - MGL FORMS-SYSTEMS	PO 5864 Tax bills	293.00	293.00
8899	163 - MONTGOMERY TOWNSHIP	PO 5877 Trees for Van Horne Park (Shade Tre	500.00	500.00
8900	583 - PERENNIAL FAVORITES GARDEN CENTER	PO 5886 Flowers for planters on Washington	421.00	421.00
8901	594 - PREMIER DISPOSAL	PO 5876 Garbage serviceMay1 2016	5,611.08	5,611.08
8902	210 - PSE&G	PO 5856 Crescent Point Park electric	6.67	6.67
8903	210 - PSE&G	PO 5858 Street Lights Electric	724.98	724.98
8904	210 - PSE&G	PO 5887 Municipal Building electric	414.18	414.18
8905	210 - PSE&G	PO 5897 Panicar Park electric	13.27	13.27
8906	354 - RICOH USA, INC.	PO 5875 Copy machine rental	109.73	109.73
8907	247 - SOMERSET COUNTY TREASURER	PO 5865 County Household Recycling Q2 2016	1,747.01	1,747.01
8908	247 - SOMERSET COUNTY TREASURER	PO 5878 Replacement of Signs	222.64	222.64
8909	247 - SOMERSET COUNTY TREASURER	PO 5895 Storm Manhole Installation Washingt	3,280.28	3,280.28
8910	251 - SOUTH BOUND BROOK BOROUGH	PO 5872 Police Services April & May	9,733.28	9,733.28
8911	260 - STATE WIDE WORKERS COMPENSATION FUN	PO 5735 Fund Year 2016 Insurance Assessment	18,929.50	18,929.50
8912	455 - TAMARA LEE PP	PO 5885 Vacant Land Assessment	1,312.50	1,312.50
8913	495 - Township of Branchburg	PO 5852 Leaf Disposal	1,000.00	1,000.00
8914	284 - VALIC	PO 5893 2015 LOSAP	14,000.00	14,000.00
8915	286 - VAN CLEEF ENGINEERING	PO 5853 Engineering Services April 2016	5,466.25	5,466.25
8916	286 - VAN CLEEF ENGINEERING	PO 5898 Engineering Services May 2016	2,984.57	2,984.57
8917	387 - W. B. MASON CO.	PO 5871 Office Supplies for Court	199.97	199.97
8918	530 - WOOLSON SUTPHEN ANDERSON	PO 5892 PB legal services	713.50	713.50
1039	NJ State Treas	Day Fees	63.00	-----
	TOTAL			96,592.48
Total to be paid from Fund 01 CURRENT FUND			94,027.48	
Total to be paid from Fund 02 STATE AND FEDERAL GRANT FUND			2,565.00	
			=====	
			96,592.48	

Attachment: Bill List Juner (DOC-2016-48 : Bill List 6/20/16)

**List of Bills - (0810101001) CASH
UTILITY OPERATING**

Check#	Vendor	Description	Payment	Check Total
7134	415 - AQUA PRO TECH LABS	PO 5854 Water Department Testing	33.00	33.00
7135	14 - AT&T	PO 5879 Water Dept. long distance	1.57	1.57
7136	155 - MGL FORMS-SYSTEMS	PO 5896 W/S bills	395.25	395.25
7137	321 - MIRACLE CHEMICAL CO	PO 5861 Water Department chemicals	45.75	45.75
7138	321 - MIRACLE CHEMICAL CO	PO 5889 Water Department chemicals	30.50	30.50
7139	450 - ONE CALL CONCEPTS INC	PO 5860 May One Calls	10.00	10.00
7140	210 - PSEGG	PO 5857 Water Dept. electric	1,271.64	1,271.64
7141	286 - VAN CLEEF ENGINEERING	PO 5853 Engineering Services April 2016	432.25	432.25
7142	286 - VAN CLEEF ENGINEERING	PO 5898 Engineering Services May 2016	66.50	66.50
7143	289 - VERIZON	PO 5855 Water Dept. phone	63.80	63.80
7133	<i>Penny Bones</i>	<i>S&S Postage machine</i>	<i>102.99</i>	<i>-----</i>
	TOTAL			2,350.26

Total to be paid from Fund 08 UTILITY OPERATING

2,350.26

2,350.26

**List of Bills - (1926005) INTERFUND - DUE CURRENT
TRUST OTHER**

Check#	Vendor	Description	Payment	Check Total
8876	455 - TAMARA LEE PP	PO 5885 Vacant Land Assessment	210.00	210.00
8877	286 - VAN CLEEF ENGINEERING	PO 5853 Engineering Services April 2016	166.25	166.25
8878	286 - VAN CLEEF ENGINEERING	PO 5898 Engineering Services May 2016	199.50	199.50
8879	530 - WOOLSON SUTPHEN ANDERSON	PO 5892 PB legal services	140.00	140.00
	TOTAL			715.75

Total to be paid from Fund 19 TRUST OTHER

715.75

715.75

Attachment: Bill List Juner (DOC-2016-48 : Bill List 6/20/16)

Rocky Hill Water Department

~ 2015 Water Quality Report ~

CONTACTS FOR ADDITIONAL INFORMATION:

~~~~~

Rocky Hill  
Water Department  
P.O. Box 188  
Rocky Hill, NJ 08553  
Phone 609-924-7445  
(Tim Lesko)

~~~~~

New Jersey Department of
Environmental Protection
Bureau of
Safe Drinking Water
Phone 609-292-5550

~~~~~

United States Environmental  
Protection Agency  
Drinking Water Hotline  
Phone 1-800-426-4791  
Web Site:  
[www.epa.gov/safewater/](http://www.epa.gov/safewater/)

### ~ Public Participation ~

Rocky Hill holds public council meetings on the 1st and 3rd Monday of the month at 7:30 P.M. Meeting information may be obtained by calling 609-924-7445.

### ~ Sources of Supply ~ Rocky Hill Water Department

**PWS ID# 1817001**

**Facility ID# TP001001**

Rocky Hill obtains its water from Well #2, located on Young Drive. This well is drilled into the Brunswick Formation.

### ~ Sources of Contaminants ~ Health Information

The sources of both tap and bottled water include rivers, lakes, streams, ponds, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791).

Rocky Hill's water meets all USEPA and NJDEP drinking water health standards.

### ***Vulnerable Populations Statement:***

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the EPA's Safe Drinking Water Hotline (1-800-426-4791).

# Primary Drinking Water Standards ~ 2015

## Inorganic Chemicals

| Parameter            | MCLG, ppb | MCL      | Well #2 | Compliance Achieved |
|----------------------|-----------|----------|---------|---------------------|
| Barium <sup>1</sup>  | 2000      | 2000     | 158     | Yes                 |
| Arsenic <sup>2</sup> | N/A       | 5        | 4       | Yes                 |
| Iron                 | N/A       | 0.3 mg/L | N/D     | Yes                 |

1. Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.

2. Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes.

While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the costs of removing the arsenic from drinking water. EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems. The maximum contaminant level (MCL) for arsenic in 2005 was 50 ppb. Our water system was in compliance with the MCL in 2005. Our water system will be required to conduct additional actions to come into compliance with the new arsenic MCL of 5 ppb which will be in effect in 2006. You should be aware that some people who drink water containing arsenic in excess of the new MCL of 5 ppb over many years could experience skin damage or problems with their circulatory system, and may have an increased risk of getting cancer.

## Disinfection By-Products

| Stage 1               | MCLG | MCL-PPB | Detected Range | Highest Running Annual Average | Compliance Achieved |
|-----------------------|------|---------|----------------|--------------------------------|---------------------|
| Five Haloacetic Acids | 0    | 60      | ND < 1.0 mg/l  | <1.0 PPB                       | Yes                 |
| Trihalomethane        | 0    | 80      | ND < 1.0 mg/l  | <1.0 PPB                       | Yes                 |

## Microbiological Contaminants

| Total Coliform | MCLG | MCL                                                     | Highest Month | Compliance Achieved |
|----------------|------|---------------------------------------------------------|---------------|---------------------|
|                | 0    | Presence of coliform bacteria is <5% of monthly samples | N/A           | Yes                 |

## Nitrates / Nitrites

| Parameter           | MCLG, ppm | MCL, ppm | Well #2 | Compliance Achieved |
|---------------------|-----------|----------|---------|---------------------|
| Nitrate (See note*) | 10        | 10       | 3.4 ppm | Yes                 |

\*Nitrate: Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.

Source: Runoff from fertilizer use; leaching from septic tanks sewage; erosion of natural deposits.

## Radionuclides Testing Frequency Determined by NJDEP

| Parameter                                   | MCLG, ppb | MCL          | Well #2          | Compliance Achieved |
|---------------------------------------------|-----------|--------------|------------------|---------------------|
| Radium 226 & 228 (See note*)                | 0         | 5pCi / liter | 0.271pCi / liter | Yes                 |
| Gross Alpha Emitters (Less Radon & Uranium) | 0         | 15pCi        | 1.28pCi / liter  | Yes                 |

\*Radium 226 & 228: Some people who drink water containing Radium 226 or 228, in excess of the MCL over many years, may have an increased risk of incurring cancer.

Source: Erosion of natural deposits.

## Lead and Copper Tested Triennial

| Parameter        | MCLG    | MCL      | Detected Level             | Compliance Achieved |
|------------------|---------|----------|----------------------------|---------------------|
| Lead (See note*) | 0 ppb   | AL = 15  | 90th percentile = <2 ppb   | Yes                 |
| Copper           | 1.3 ppm | AL = 1.3 | 90th percentile = .015 ppm | Yes                 |

\*Lead: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Rocky Hill Water Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

## *Contaminants that may be present in source water include:*

-  Microbial contaminants - Viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
-  Inorganic contaminants - Salts and metals which can be naturally occurring or result from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
-  Organic chemical contaminants - These include synthetic and volatile organic chemicals which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
-  Radioactive contaminants - Naturally occurring or the result of oil and gas productions and mining operations.
-  Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

*In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health.*

The New Jersey Department of Environmental Protection (NJDEP) has completed and issued the Source Water Assessment Report and Summary for this public water system, which is available at [www.state.nj.us/dep/swap/](http://www.state.nj.us/dep/swap/) or by contacting the NJDEP, Bureau of Safe Drinking Water at 609-292-5550.

The source water assessment performed on our one source determined the following: Susceptibility ratings for **entry point to the distribution system (EPTDS)**.

Table 11 lists the susceptibility ratings for each EPTDS for the Rocky Hill Water Department.

### *Table 11: Susceptibility Rating for EPTDS*

*Contaminant Category*

| <i>EPTDS ID</i> | <i>EPTDS Name</i> | <i>Contaminant Category</i> |                  |                   |             |                   |                      |              |             |
|-----------------|-------------------|-----------------------------|------------------|-------------------|-------------|-------------------|----------------------|--------------|-------------|
|                 |                   | <i>Pathogens</i>            | <i>Nutrients</i> | <i>Pesticides</i> | <i>VOCs</i> | <i>Inorganics</i> | <i>Radionuclides</i> | <i>Radon</i> | <i>DBPs</i> |
|                 |                   | Rating                      | Rating           | Rating            | Rating      | Rating            | Rating               | Rating       | Rating      |
| 01              | Well 2 TP*        | H                           | H                | M                 | H           | H                 | H                    | H            | M           |

If a system is rated highly susceptible for a contamination category, it does not mean a customer is or will be consuming contaminated drinking water. The rating reflects the potential for contamination of source water, not the existence of contamination. Public water systems are required to monitor for regulated contaminants and to install treatment if any contaminants are detected at frequencies and concentrations above allowable levels.